

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6078744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 14:10
S2	0	(@ad<="20011024" or @rlad<="20011024") and (compil\$4 same ((diminishing adj return) near3 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:22
S3	1	(@ad<="20011024" or @rlad<="20011024") and (compil\$4 same ((break adj even) near3 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:24
S4	0	(break-even near8 ( execution near2 time)) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:25
S5	1	(break-even near8 compil\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:56
S6	39	(break-even and compil\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:56
S7	1	S6 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4 and Java and interpret\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:43
S8	17	S6 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:02
S9	10	(selectiv\$4 near8 (compil\$4 and interpret\$4)) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:02

S10	3	S9 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:15
S11	1	S10 and (beneficial advantageous )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:35
S12	66	((interpret\$4 and (compil\$6 or recompil\$6 or JIT\$2)) same ( break-even or advantag\$3 or beneficial or hazard\$5 or profitable)) and (jvm or JIT or Just-in-Time or "virtual machine") and ( alternately or selectively )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:20
S13	9	("6427234").URPN.	USPAT	OR	ON	2005/02/12 16:34
S14	3	S13 and ( compil\$4 same interpret\$4)	USPAT	OR	ON	2005/02/12 16:34
S15	1	S14 and (beneficial advantageous )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:35
S16	16	("5768593"   "5937195"   "5970249"   "5999734"   "6011916"   "6014518"   "6044221"   "6072950"   "6073159"   "6077313"   "6078744"   "6085035"   "6113651"   "6189141"   "6223339"   "6253373").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 16:49
S17	2	(bytecode and (Java or JIT)) and (((determin\$5 or selectiv\$5) adj4 (advantag\$5 or benefi\$5)) near8 ( compil\$4 and interpret\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:54
S18	3	(bytecode and (Java or JIT)) and (((determin\$5 or selectiv\$5) same (advantag\$5 or benefi\$5)) near8 ( compil\$4 or JIT\$2 or recompil\$4) and interpret\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:04
S19	3	S17 or S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:56

S20	2	"6317706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:57
S21	2	"6317796".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:57
S22	12	("5297284"   "5361350"   "5442793"   "5485617"   "5754862"   "5771384"   "5774723"   "5794038"   "5794044"   "5884316"   "5907707"   "5991538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 16:58
S23	12	("5297284"   "5361350"   "5442793"   "5485617"   "5754862"   "5771384"   "5774723"   "5794038"   "5794044"   "5884316"   "5907707"   "5991538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:01
S24	36	((determin\$4 near5 (benefic\$5 advantag\$5 hazard\$4 unadvantag\$5 unbenefic\$4)) near5 ( recompil\$5 interpret\$5 Jit\$2 compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:22
S25	5	(bytecode and (Java or JIT) and interpret\$5) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:05
S26	2	(Just-in-Time and bytecode) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:07
S27	2	"6704927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:07
S28	3	S25 not (S27 or S26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:08
S29	1	("6298477").URPN.	USPAT	OR	ON	2005/02/12 17:13

S30	24	("5414855"   "5560013"   "5835773"   "5838978"   "5920720"   "5978585"   "6078744"   "6081665"   "6093216"   "6110226"   "6115719"   "6118940"   "6131191"   "6139199"   "6141794"   "6151703"   "6233725"   "6289504"   "6289506"   "6295641"   "6295642"   "6298477"   "6324686"   "6324687").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:16
S31	1	"5909578".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:16
S32	5	("5978585").URPN.	USPAT	OR	ON	2005/02/12 17:20
S33	3	(Kessler or Ungar).in. and bytecode and (dynamic\$5 near8 (compil\$4 recompile\$4 interpret\$5))	USPAT	OR	ON	2005/02/12 17:21
S34	1	S33 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:22
S35	2	"5970249".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:38
S36	1	(hazard adj rate) and (execution near3 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:40
S37	430	(probability chance likelihood) adj2 ((stop adj execut\$5) near3 program instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:42
S38	3	S37 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4 and Java and interpret\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:43